





DMM multimeters protection

fuse links

















RATED VOLTAGE 1000V AC/DC

RATED CURRENT 440mA

BREAKING CAPACITY 30kA

STANDARDS
ROHS COMPLIANT



DMM Multimeters protection fuse links

DMM fuse links are specially designed for the protection of multimeters. They have fast acting characteristic. Intended to carry 100% of rated current continuously.

Maximum working voltage is 1000V AC/DC

The range comprises the following fuse links:

→ Size 10x35 1000V AC/DC 440mA

RoHS directive compliant.



Range

In (A)	REFERENCE	PACKING Uni /BOX
0,44	416005	10







Technical data

Rated voltage	1000V AC/DC
Rated current	440mA
Rated breaking capacity	30kA
Power dissipation	0,093W
Storage temperature	-40°C 90°C
Operating temperature *	-40°C 80°C


^{*} For ambient temperatures higher than 25°C it is necessary to apply a derating in maximum current.

Standards

RoHS Compliant




Dimensions



A B C Weight 10,3 35 10 7,3 gr

t-I characteristics





HEAD OFFICE AND FACTORY

SILICI, 67-69 08940 CORNELLA DE LLOBREGAT BARCELONA SPAIN

Tel. +34 93 377 85 85 Fax +34 93 377 82 82

INTERNATIONAL SALES

Tel. +34 93 475 08 64 Fax +34 93 480 07 75 export@dfelectric.es

NATIONAL SALES

Tel. 93 475 08 64 Fax 93 480 07 76 comercial@dfelectric.es

dfelectric.es





The data reflected in this technical record are subject to the correct installation of the product in accordance with manufacturer's instructions, relevant installation standards and professional practices, maintained and used in applications for which they were made.

DF ELECTRIC retains the right to change the dimensions, specifications, materials or design of its products at any time with or without notice.



PROTECTING THE WORLD













